

ArChine Foodrance SIS 3

Inorganic grease with a silicone base oil appropriated for the static lubrication
at high temperature and in hard working conditions

NSF Registration No.: **145483** Place of Origin: **France**

Color	Colorless/Opaque
Appearance	Smooth
Nature of soap	Inorganic
Nature of basis oil	F.D.A Silicone
Penetration non-worked, 0.1 mm	220-250
Worked Penetration, 0.1 mm	>230
Dropping point, °C	None
Base oil viscosity at 25°C, cSt	1000
Base oil viscosity at 40°C, cSt	700
Density at 25°C, g/cm ³	0.970
Temperature of use, °C	-50 to 220

PROPERTIES

All the components comply with the F.D.A (Food and Drug Administration); Code of Federal Regulation 21.

- Insoluble in water, hot water, steam, nautical atmospheres.
- Odorless, insipid (total innocuousness).
- Excellent thermal resistance.
- Insulating grease (dielectric resistance)
- Very good protection against oxidation, corrosion and calcareous.
- NSF H1 approved.

USES

- Bathroom plumbing lubrication, valves, expansion valves exposed to high or low

Distributor Wanted

Shanghai PingYiao Trading CO., Ltd.

Tel: 86-21-64705533

Adress: A1207, Yin Hai Building, No.250, Caoxi Road, Xuhui District, Shanghai
200235 P.R.China

Telephone helpline: (86)15900706965

Fax: 86-21-64705533-209

Website: www.pingyiao.com

E-mail: info@pingyiao.com

ARCHINE

Shanghai PingYiao Trading CO., Ltd.

temperatures.

- O-rings, doughnut rings assembly.
- Conveyors chains in the food-processing industry.
- Cables drafts, electric line.
- Water pump needing silicone grease.

Shanghai PingYiao Trading CO., Ltd.

Distributor Wanted

Shanghai PingYiao Trading CO., Ltd.

Tel: 86-21-64705533

Adress: A1207, Yin Hai Building, No.250, Caoxi Road, Xuhui District, Shanghai
200235 P.R.China

Telephone helpline: (86)15900706965

Fax: 86-21-64705533-209

Website: www.pingyiao.com

E-mail: info@pingyiao.com