Shanghai PingYiao Trading CO., Ltd.

ArChine Synchain POE 280U

Fully synthetic high temperature chain lubricants

DESCRIPTION

ArChine Synchain POE 280U product is synthetic POE high temperature lubricants designed primarily for high temperature equipment, such as oven chains and tenter frame ovens, as well as paint and ceramic curing ovens. Satisfactory performance can also be expected in applications involving bearing lubrication. Formulated from a quality synthetic base stock and additive system, ArChine Synchain POE 280U has better oxidation stability and lower ash residue compared with general synthetic ester lubricant, it also provides the following performance benefits.

- Excellent high temperature oxidation and thermal stability for prolonged lubricant life.
- Extremely low volatility resulting in less oil consumption.
- Superior antiwear properties for reduced chain drag.
- Does not form carbon residue as petroleum products do.
- Very few ash residue, maintain a clean operating environment for frame rails and chains.

TYPICAL PROPERTIES

Appearance	Yellow clear liquid
Viscosity @40°C, cSt	300.1
Viscosity @100°C, cSt	35.69
Viscosity index	166
Density@ 20°C, g/cm³	0.985
Flash point, °C	276
Pour point, °C	-39
Copper corrosion, 3h/100°C	1b
Ash	0.001 % (m/m)
NOACK - Evaporation Loss (Procedure B)	1.7 % (m/m)

These technical data are based on average test results. Minor deviations may occur

Distributor Wanted

Shanghai PingYiao Trading CO., Ltd. Tel: 86-21-64705533 Adress: A1207, Yinhai Building, No.250, Caoxi Road, Xuhui District, Shanghai

200235 P.R.China

Telephone helpline: (86)15900706965 Fax: 86-21-64705533-209 Website: www.pingyiao.com E-mail: info@pingyiao.com

from case to case.

Shandhai Ping Yiao Trading Co.

Distributor Wanted

Shanghai PingYiao Trading CO., Ltd. Tel: 86-21-64705533 Adress: A1207, Yinhai Building, No.250, Caoxi Road, Xuhui District, Shanghai

200235 P.R.China

Telephone helpline: (86)15900706965 Fax: 86-21-64705533-209 Website: www.pingyiao.com E-mail: info@pingyiao.com